



affinity<sup>®</sup>  
living feature pools

# grand corner

mocha weave & black aluminium  
instructions



  
HOW TO  
BUILD YOUR  
AFFINITY GRAND  
SEE WEBSITE


[www.blagdonwatergardening.co.uk](http://www.blagdonwatergardening.co.uk)  
[www.pondaquariumproblemsolver.co.uk/blagdon](http://www.pondaquariumproblemsolver.co.uk/blagdon)



# Grand Corner Assembly Instructions

Getting to know your Affinity living feature pool

## Part List



Part Description	Quantity	Part No.
Tool	1	1
Plastic keys	28	2
Plant Basket Fixing Pins	36	3
Plastic Feet	7	4
Waterfall (Available separately)	1	5
A Top rail (90°-180°)	2	6
A Mocha Weave Panel	4	7
B Top Rail (90°-180°)	2	8
90° Leg	3	9
A Leg Cross Brace Bar	4	10
C Top Rail (90°-135°)	2	11
B Mocha Weave Window Panel	2	12
Vertical Bracing Bar	6	13
B Leg Cross Brace Bar	3	14
C Mocha Weave Window Panel	1	15
D Top Rail (135°-135°)	1	16
135° Leg	2	17
135° Trident Connector	2	18
Underlay	1	19
Liner Bag	1	20
Diagonal Bracing Bar	4	21
180° Leg	2	22
180° Trident Connector	2	23
Plant Basket	1	24
Waterfall Clip	2	25
Waterfall Bracket	1	26
90° Trident Connector	3	27



Part 1



Part 4



Part 3



Part 2

## Also Available

Product Code	Product Name
1054928	Inpond 3000 Annual Maintenance Kit
1052245	Affinity Planting Basket
1051217	Affinity Split Rill Waterfall
1052214	Affinity Wave Rill Waterfall

## Step by Step Guide

### Step 1


Clear chosen area of debris and any sharp objects which could puncture the liner.

### Step 2

Place down the supplied underlay and layout the all parts - check the quantities against the parts table.





### Step 3

Using the 180° tridents connect the A top rails to the B top rails.




### Step 4

Insert a 180° leg into the trident and lock into place using the supplied tool and keys - ensure the end with the sticker is pointing up on every leg.



### Step 5

Connect these two rails using a 90° trident between an A and a B rail - inserting a 90° leg and using the keys to lock it in place.





### Step 6

Connect a 90° trident to the other A rail and correct the correct C rail - insert a 90° leg and lock into place using the keys.

### Step 7

Connect a 135° trident to the C rail and attach the D rail - insert a 135° leg and lock into place using the keys.




### Step 8

Connect the last 135° trident to the D rail, connect the last 90° trident to the last C rail.


### Step 9

Insert this C rail into the remaining gap between the B and D rails - inserting a 90o and a 135o leg into the appropriate trident and locking in place using the keys.



### Step 10

Slide the A panels (without windows) into the slots on the legs of the A and B rails.





### Step 11

Slide the B panels (with windows) into the slots on the legs of the C rails.

### Step 12

Slide the C panel (with window) into the slots on the legs of the D rail - ensure that all panels are pulled down to the top rails.



**Tip:** To make installation of the leg braces easier, allow the weave panels to warm up prior to use - place in direct sunlight for 20-30 minutes, or place them in an airing cupboard overnight if building the pool during the winter.

### Step 13

Insert the leg cross braces labelled A across the gaps between the legs of the A rails - lock in place with the keys.

### Step 14


Insert the leg cross braces labelled B across the gaps between the legs of the B rails - lock in place with the keys.

### Step 15

Insert the leg cross brace labelled C across the gap between the legs of the C rail - lock in place with the keys.


### Step 16

Install the vertical bracing bars from the C and D top rails to the leg cross braces - fixing them into place using the plant basket fixing pins





### Step 17

Install the diagonal bracing bars across the legs of the A and B rails - fixing them into place using the plant basket fixing pins.



### Step 18

Push the supplied feet onto the bottom of the legs.



### Step 19



Between two people turn the frame over.

### Step 20

Place the liner bag inside the frame and open it up - turn the liner to align the clear windows with the portholes on the weave panels.

### Step 21

Working around the liner hook the eyelets onto the hooks on the trident connectors.




### Step 22

Using plant basket fixing pins, pin up the rest of the liner eyelets onto the vertical face of the top rails.

### Step 23

Using the plant basket fixing pins attach the plant baskets to the underside of the top rail.



### Step 24

Place the Inpond filter into the pool and run the cables out of the back corner.

FOUNTAIN INSTALLATION :


### Step 25

Attach the fountain fittings with your chosen fountain head to the Inpond following the instructions in the Inpond manual, fill the pond with dechlorinated water, turn on the power and enjoy.

OR WATERFALL INSTALLATION :



### Step 26

Attach the waterfall bracket to the waterfall clips.




### Step 27

Clip the waterfall bracket onto the top rail across the back corner (ensuring the cables for the filter are in between the clips). Attach your chosen waterfall.



### Step 28

Connect the waterfall hose to the Inpond outlet, fill the pond with dechlorinated water and enjoy.



**Tip:** Use the flat face of the provided tool to make it easier to push in the plant basket fixing pins.

# affinity accessories



Split Rill Waterfall



Wave Rill Waterfall



Window Cleaning Pads



Planting Baskets



Green Water UV Clarifier



Ice Vent Heater



Maintenance Kits

To keep your Affinity Pool windows clean, use **ONLY** the Affinity anti-scratch window cleaning pads code 1051200. Any other material may scratch or damage the windows. Polymer wool pads supplied are for the Inpond 5 in 1 filter, (see instruction manual).

All these items are available as replacements from your retailer.

For further information, see our website:  
[www.blagdonwatergardening.co.uk](http://www.blagdonwatergardening.co.uk)

## Guarantee

This product is guaranteed against defects in material and workmanship for 3 years from the date of purchase, under normal usage. The guarantee DOES NOT APPLY in case of improper use, negligence, lack of maintenance or accidental damage to the Affinity Pool. If the Affinity Pool fails due to a manufacturing fault within this period it will be either repaired or replaced free of charge. Liability is limited to replacement of the faulty product only; no other costs will be reimbursed.

This guarantee is not transferable and does not affect your statutory rights. This guarantee does not confer any rights other than those expressly set out above. Excludes consumable parts (pump Impellor, LED light & UVC lamp). If any parts are needed, spares are available from your retailer. Please see the Inpond 5 in 1 3000 instructions for more information and part descriptions.



### Environment Friendly Disposal

You can help protect the environment! Please remember to respect the local regulations and hand in any non-working electrical equipment to an appropriate waste disposal centre.

Product code: 1057646

## Consumer Advice Contact Information

Interpet (Blagdon) Consumer Advice Department,  
Vincent Lane, Dorking, Surrey RH4 3YX

E-mail: [customercare@interpet.co.uk](mailto:customercare@interpet.co.uk)

[www.blagdonwatergardening.co.uk](http://www.blagdonwatergardening.co.uk)

**IMPORTANT: PLEASE ATTACH PROOF OF PURCHASE TO THIS MANUAL AND FILE IN A SAFE PLACE.**



Affinity feature pools have been designed by a leading British water gardening company. Over half a century of fish keeping and water gardening knowledge is brought together in this product, so you can be assured of a successful, creative water feature.